




ISO 9001:2015

Certified comapany



16, Shreeji Estate, Nr. Dhandhar Panchal Wadi, Virat Nagar, Odhav, Ahmedabad-382415, Gujarat, INDIA.

E-mail:- makrindustries@gmail.com/info@marckindustries.com website:- www.markindustries.in

Contact number:9328623252/9727156896









Single Mast Stacker Specification			
Detail	Manual	Electric	Battery
Height (mm)	1000/1200/1600/1800	1000 to 1800	1000 to 1800
Capacity (Kgs)	500 to 2000	500 to 2000	500 to 2000
Fork Size (mm)	1150 X 600	1150 X 600	1150 X 600
Lower Height (mm)	90-95	90-95	90-95
Operating System	Manual	AC Power Pack	DC Power Pack
Motor	-	1-2 HP	-
Power Pack	-	3 Phase Or Single Phase	
Battey	-	-	130Amp
Oil Tank	-	20 Ltr	10 Ltr

As per Customer Size Available









Double Mast Stacker Specification			
Detail	Manual	Electric	Battery
Height (mm)	1800/2000/2500/3000	1800 to 6000	1800 to 6000
Capacity (Kgs)	500 to 1500	500 to 1500	500 to 1500
Fork Size (mm)	1150 X 600	1150 X 600	1150 X 600
Lower Height (mm)	90-95	90-95	90-95
Operating System	Manual	AC Power Pack	DC Power Pack
Motor	-	1-2 HP	-
Power Pack	-	3 Phase Or Single Phase	
Battey	-		130Amp / 150 Amp
Oil Tank	-	20 Ltr / 25 Ltr	10 Ltr / 20 Ltr









Single Mast Paper Reel Stacker Specification			
Detail	Manual	Electric	Battery
Lifting Height (mm)	1000/1200/1600/1800	1000 to 1800	1000 to 1800
Capacity (Kgs)	500 to 1500	500 to 1500	500 to 1500
Platform Size (mm)	900 X 600	900 X 600	900 X 600
Fork (mm)	700	700	700
Lower Height (mm)	160	160	160
Operating System	Manual	AC Power Pack	DC Power Pack
Motor	-	1-2 HP	-
Power Pack	-	3 Phase Or Single Phase	
Battey	-	-	130Amp
Oil Tank	-	20 Ltr	10 Ltr









Double Mast Paper Reel Stacker Specification			
Detail	Manual	Electric	Battery
Lifting Height (mm)	1800/2000/2500/3000	1800 to 3000	1800 to 3000
Capacity (Kgs)	500 to 1500	500 to 1500	500 to 1500
Platform Size (mm)	900 X 600	900 X 600	900 X 600
Fork (mm)	700	700	700
Lower Height (mm)	160	160	160
Operating System	Manual	AC Power Pack	DC Power Pack
Motor	-	1-2 HP	-
Power Pack	-	3 Phase Or Single Phase	
Battey	-	-	130Amp / 150 Amp
Oil Tank	-	20 Ltr / 25 Ltr	10 Ltr / 20 Ltr









Single Mast Roller Stacker Specification			
Detail	Manual	Electric	Battery
Lifting Height (mm)	1000/1200/1600/1800	1000 to 1800	1000 to 1800
Capacity (Kgs)	500 to 1500	500 to 1500	500 to 1500
Platform Size (mm)	1300 X 600 / 1300 X 1300	1300 X 600 / 1300 X 1300	1300 X 600 / 1300 X 1300
Lower Height (mm)	60 / 150	60 / 150	60 / 150
Operating System	Manual	AC Power Pack	DC Power Pack
Motor	-	1-2 HP	-
Power Pack	-	3 Phase Or Single Phase	
Battey	-	-	130Amp
Oil Tank	-	20 Ltr	10 Ltr
As per Custom	er Size Available		









Electric Manual **Battery**

Double Mast Roller Stacker Specification			
Detail	Manual	Electric	Battery
Lifting Height (mm)	1800/2000/2500/3000	1800 to 3000	1800 to 3000
Capacity (Kgs)	500 to 1500	500 to 1500	500 to 1500
Platform Size (mm)	1300 X 600 / 1300 X 1300	1300 X 600 / 1300 X 1300	1300 X 600 / 1300 X 1300
Lower Height (mm)	60 / 150	60 / 150	60 / 150
Operating System	Manual	AC Power Pack	DC Power Pack
Motor	a. 	1-2 HP	-
Power Pack	-	3 Phase Or Single Phase	
Battey	-	-	130Amp / 150 Amp
Oil Tank	-	20 Ltr / 25 Ltr	10 Ltr / 20 Ltr
As per Custo	mer Size Available	2	









Single Mast Drum Lifter Cum Tilter Specification **Detail** Manual **Electric Battery** 1600/1800 Lifting Height (mm) 1000 to 1800 1000 to 1800 Capacity (Kgs) 500 500 500 Solid Warm 50:30 Gear Box Solid Warm 50:30 Solid Warm 50:30 **Operating System** AC Power Pack DC Power Pack Manual Motor 1-2 HP Power Pack 3 Phase Or Single Phase Battey 130Amp Oil Tank 20 Ltr 10 Ltr As per Customer Size Available









Double Mast Drum Lifter Cum Tilter Specification			
Detail	Manual	Electric	Battery
ifting Height (mm)	2400/3000	2400 to 3000	2400 to 3000
Capacity (Kgs)	500	500	500
Gear Box	Solid Warm 50:30	Solid Warm 50:30	Solid Warm 50:30
Operating System	Manual	AC Power Pack	DC Power Pack
Motor	-	1-2 HP	-
Power Pack	-	3 Phase Or Single Phase	
Battey	-	-	130Amp
Oil Tank	-	20 Ltr	10 Ltr









Detail	Manual	Electric	Battery
Lifting Height (mm)	1600/1800	1000 to 1800	1000 to 1800
Capacity (Kgs)	500	500	500
Gear Box	Solid Warm 50:30	Solid Warm 50:30	Solid Warm 50:30
Operating System	Manual	AC Power Pack	DC Power Pack
Motor	-	1-2 HP	-
Power Pack	-	3 Phase Or Single Phase	
Battey	-	-	130Amp
Oil Tank	-	20 Ltr	10 Ltr







Imported Hand Pallet Truck Specification		
Detail	Hand pallet Truck	Hand pallet Truck
Fork Length(mm)	1150	1220
Fork Width (mm)	550	685
Capacity (Kgs)	2500 / 3000	2500 / 3000
Lower Height (mm)	80-85	80-85
Lifting Height (mm)	200	200
Operating System	Manual	Manual







Indian Hand Pallet Truck Specification		
Detail	Hand pallet Truck	Hand pallet Truck
Fork Length(mm)	1150	1220
Fork Width (mm)	550	685
Capacity (Kgs)	2500 / 3000 / 5000	2500 / 3000 / 5000
Lower Height (mm)	80-85	80-85
Lifting Height (mm)	200	200
Operating System	Manual	Manual
As per Custon	ner Size Available	







High Lift Specification				
Detail				
Fork Length(mm)	1300	1300	1300	
Fork Width (mm)	560	560	560	
Capacity (Kgs)	800	800	800	
Lower Height (mm)	90	90	90	
Lifting Height (mm)	1000	800	600	
Operating System	Manual	Manual	Manual	
•	C: A :1 1 1			

As per Customer Size Available









Floor Crane Specification			
Detail	Manual	Electric	Battery
Height (mm)	2400 To 6000	2400 To 6000	2400 To 6000
Capacity (Kgs)	500 to 3000	500 to 3000	500 to 3000
Boom Size (mm)	1200+600=1800	1200+600=1800	1200+600=1800
Lower Height (mm)	500-700	500-700	500-700
Operating System	Manual	AC Power Pack	DC Power Pack
Motor	-	1-2 HP	-
Power Pack	-	3 Phase Or Single Phase	
Battey	-	-	130Amp
Oil Tank	-	20 Ltr	10 Ltr









Counter Balance Floor Crane Specification			
Detail	Manual	Electric	Battery
Height (mm)	2400/3000	2400/3000	2400/3000
Capacity (Kgs)	500	500	500
Boom Size (mm)	1200+600=1800	1200+600=1800	1200+600=1800
Lower Height (mm)	500	500	500
Operating System	Manual	AC Power Pack	DC Power Pack
Motor	-	1-2 HP	-
Power Pack	-	3 Phase Or Single Phase	
Battey	-	-	130Amp
Oil Tank	-	20 Ltr	10 Ltr







Paper Roll/Reel Pallet Truck Specification		
Detail		
Fork Length(mm)	500 To 3500	
Roll Diameter (mm)	Min 400 To Max 1600	
Capacity (Kgs)	2.5 Ton	
Lifting Height (mm)	200	
Operating System	Manual	
As per Customer Size A	vailable	







Single Double

Details	Single	Double
Fork size:-	90x30mm	145x60mm
Cap:-	310 kgs	600 kgs
Drum Diameter:-	550x590mm	550x590mm
Service Weight:-	90kg	90kg
Body Colour:-	Yellow	yellow







Three Wheel Drum Trolley

Mark-40

Four Wheel Drum Trolley

Drum Trolley Specification		
Details	Three Wheel Drum Trolley	Four Wheel Drum Trolley
Size:-	1455X650X800	1455X650X800
Capacity:-	310kg	310kg
Structure:-	Ms	Ms
Wheel:-	AUHM Wheel	AUHM Wheel
Paint:-	Kangaroo Blue Powder Coated	Kangaroo Blue Powder Coated
As per Customer	Size Available	








Three Wheel Drum Trolley

Four Wheel Drum Trolley

Details	Three Wheel Drum Trolley	Four Wheel Drum Trolle
Size:-	1455X650X800	1455X650X800
Capacity:-	310kg	310kg
Structure:-	Ms	Ms
Wheel:-	Scooter Wheel	Scooter Wheel
Paint:-	Kangaroo Blue Powder Coated	Kangaroo Blue Powder Coate







Drum Handler Specification		
Details	Drum Handler	Drum Handler
Size:-	1455X650X800	1455X650X800
Capacity:-	310kg	310kg
Structure:-	Ms	Ms
Wheel:-	AUHM Wheel	Scooter Wheel
Paint:-	Kangaroo Blue Powder Coated	Kangaroo Blue Powder Coat
ner Customer	Cina Avrailabla	







Drum Stand Specification		
Details	Drum Stand	
Size:-	2050X610X610mm	
Capacity:-	310kg	
Structure:-	Ms	
Paint:-	Kangaroo Blue Powder Coated	








Drum Palletizer Specification		
Details	Drum Palletizer	
Lifting Height:-	250mm	
Size:-	1395X830X1075mm	
Capacity:-	350kg	
Structure:-	Ms	
Wheel:-	6x2 Nylon Wheel	
Paint:-	Yellow	







Drum Caddy Specification		
Drum Caddy		
1395X830X1075mm		
350kg		
Ms		
6x2 Nylon Wheel		
Orange Powder Coated		







Details	Single wheel Barrow	
Size:-	750X450X300mm	
Capacity:-	150kg	
Structure:-	Ms	
Wheel:-	14x3 Scooter wheel	
Paint:-	VIP Blue Powder Coated	
Handle:-	Made from MS pipe & Best Maneuverer ability	









Ms Wheel Scooter Wheel Plastic Wheel

Double Wheel Barrow Specification			
Details	MS Wheel	Scooter Wheel	Plastic Wheel
Size:-	36X24X12	36X24X12	36X24X12
Capacity:-	150kg	150kg	150kg
Structure:-	Ms	Ms	Ms
Wheel:-	20x2	20x2	20x2
Paint:-	VIP Blue Powder Coated	VIP Blue Powder Coated	VIP Blue Powder Coated
Handle:-	Made from MS pipe & Best Maneuverer ability	Made from MS pipe & Best Maneuverer ability	Made from MS pipe Best Maneuverer ability

As per Customer Size Available







LPG oxygen Trolley Specification		
Details	LPG Oxygen Trolley	
Size:-	3X2X2	
Capacity:-	200kg	
Structure:-	Ms	
Wheel:-	4x2 Nylon wheel	
Paint:-	VIP Blue Powder Coated	
Handle:-	Made from U Shape MS pipe & Best Maneuverer abilit	








Oxygen Trolley Specification				
Details	Single Oxygen Trolley	Trolley Double Oxygen Trolley		
Size:-	42X16X38	60X28X38		
Bottle:-	1 Bottle	2 Bottle		
Structure:-	Ms	Ms		
Wheel:-	4x2 AUHM wheel	10x2 & 6x2AUHM wheel		
Paint:-	VIP Blue Powder Coated	VIP Blue Powder Coated		
Handle:-	Made from MS pipe & Best	Made from MS pipe & Best		
	Maneuverer ability	Maneuverer ability		
As per Customer Size Available				









Turn Table Fiber Trolley L type

Platform Trollies Specification					
Details L Type Turn Table Fiber T					
Size:-	3x2x2.5	4x3/4x2.5	3x2x2.5		
Capacity:-	300kg	500kg	300kg		
Structure:-	Ms	Ms	Ms		
Wheel:-	6x2 inches	20x2(Scooter Wheel)	6x2 inches		
Paint:-	Blue Powder Coated	Blue Powder Coated	Blue Powder Coated		
As per Customer Size Available					









Two Side Support

Cage Trolley

Door Type Trolley

Platform Trollies Specification				
Details	Two side Support	Two side Support Cage/Wire mesh		
Size:-	3x2x2	3x2x2	3x2x2	
Capacity:-	200kg	200kg	200kg	
PT Height:-	150mm(Floor level to)	150mm(Floor level to)	150mm(Floor level to)	
Structure:-	Ms	Ms	Ms	
Wheel:-	20x2	20x2	20x2	
Paint:-	VIP Blue Powder	VIP Blue Powder	VIP Blue Powder	
	Coated	Coated	Coated	
Handle:-	Made from MS pipe &	Made from MS pipe	Made from MS pipe &	
	Best Maneuverer	& Best Maneuverer	Best Maneuverer	
	ability	ability	ability	
As per Customer Size Available				







Trey Trolley

Luggage Trolley

Platform Trollies Specification			
Details	Trey trolley	Luggage Trolley	
Size:-	3x3x3ft	48x20x12Inches	
Capacity:-	300kg	300kg	
PT Height:-	150mm(Floor level to)	150mm(Floor level to)	
Structure:-	Ms	Ms	
Wheel:-	6x2	10x2	
Paint:-	VIP Blue Powder Coated	VIP Blue Powder Coated	
Handle:-	Made from MS pipe & Best Maneuverer ability	Made from MS pipe & Best Maneuverer ability	
As per Customer Size Available			







Roller Platform Trolley Specification				
Details Roller Platform Trolley				
Size:-	3x2x2.5			
Capacity:-	300kg			
Structure:-	Ms			
Wheel:-	6x2			
Paint:-	VIP Blue Powder Coated			
Handle:-	Made from MS pipe & Best Maneuverer ability			
As per Customer Size Available				







Rough terrain pallet truck

Capacity	2500kg
Min. Fork Height	90mm
Max. Fork Height	200mm
Overall Dimensions	Length:1600mm Approx.
	Width:1350mm Out to Out Approx.
Fork	Adjustable
Fork Length	1150mm
Fork Width	350 to 700mm Adjustable
Wheel	3 Nos. 16" x 4" Size Solid Rubber Wheels At Handle Side & Load Roller Wheels
	At Other Side. All Three Wheels Includes Double Ball Bearings.
Handle	Made from MS pipe & designed to best maneuverability
Paint	High Lift wills Be One Coat Of Primer & two coats of Auto finish Paint.







Drum Dolly Specification			
Roller Platform Trolley			
600			
310kg			
Ms			
4x2			
VIP Blue Powder Coated			
Made from MS pipe & Best Maneuverer ability			







Drum Tilter Specification				
Details Drum Tilter Specification				
Lifting Height:-	450			
Capacity:-	310kg			
Structure:-	Ms			
Wheel:-	4x2			
Paint:-	Orange & Black Powder Coated			
Handle:-	Made from MS pipe & Best Maneuverer ability			







Die Loader Specification					
Details	Die Loader/Scissor Lift Table				
Lifting Height:-	900mm 1000mm 1300mm 1500mm				
Capacity:-	500 kgs	1000kgs	500kgs	500kgs	
Platform Size:-	810x500mm	1000x500mm	900x500mm	1200x610mm	
Closing Height:-	280mm	420mm	380mm	420mm	
Wheel:-	125x50mm PU Wheel (2 Fix-2 Swivel With Brake)				







	Roller Platform Die Loader Specification				
Details	Die Loader/Scissor Lift Table				
Lifting Height:-	900mm 1000mm 1300mm 1500mm				
Capacity:-	500 kgs	1000kgs	500kgs	500kgs	
Platform Size:-	810x500mm Roller Platform	1000x500mm Roller Platform	900x500mm Roller Platform	1200x610mm Roller Platform	
Closing Height:-	280mm	420mm	380mm	420mm	
Wheel:-	125x50mm PU Wheel (2 Fix-2 Swivel With Brake)				













<u>Goods Lift</u> <u>As Per Customer Requirement</u>











Movable Scissor Lift As Per Customer Requirement









Pit Mountain Scissor Lift As Per Customer Requirement



ABOUT US:

Marck Material Handling Company is in manufacturing and exporting

business of Material Handling Equipments . We are the manufacturer and exporter of material handling equipments like Hydraulic Lifting Equipments, Hydraulic Lifting Stacker, Drum Equipments, Pallet Truck/Pallet, Platform Truck, Hand Truck/Trolley

(Beam Trolley), Crane, Hoist, Wheels / Castor, Aluminium Ladder, Goods Lift, Chain Pulley, Hydraulic Cylinder Body Hydraulic System, Conveyor etc.

We have started the firm with a mission to serve satisfaction to our valued customers at the maximum level. The company's exertions coupled with the insistence of our team have helped us shape a role in our field of operation. We have the technical expertise in design and manufacture of high correctness equipment, we efficiently serve to the needs of the worldwide market. Our mission is to keep step with market demand and in continuance.

16, Shreeji Estate, Nr. Dhandhar Panchal Wadi, Virat Nagar, Odhav, Ahmedabad-382415, Gujarat, INDIA. Contact number: 9328623252/9727156896

E-mail: makrindustries@gmail.com/info@marckindustries.com